



KILD[®]
Innovative Lightings

Interior cob
Lighting Catalog

2K26



**INNOVATION IN THE
PALM OF YOUR HAND**

ABOUT US

LIGHT THAT DEFINES INTERIORS.

At KLD Innovative Lightings, we see light as more than illumination. It is an integral part of architecture — shaping spaces, creating ambience and bringing interiors to life.

Driven by design, innovation and performance, KLD presents a thoughtfully developed collection of premium interior LED and COB lighting solutions for contemporary residential, retail, hospitality and commercial environments.

Every KLD product is created with attention to light quality, visual comfort, functionality, finishing and architectural aesthetics — giving designers and lighting professionals greater freedom to create spaces with character.

**FROM A PRECISE ACCENT TO A SOFT
LAYER OF AMBIENT ILLUMINATION,
OUR PURPOSE REMAINS SIMPLE:**

**TO CREATE BETTER SPACES THROUGH
BETTER LIGHT.**





OUR VISION

TO SHAPE THE FUTURE OF INTERIOR LIGHTING.

To establish KLD as a distinctive name in contemporary architectural lighting by continuously introducing solutions where technology, aesthetics and performance work in harmony.

**We envision interiors where lighting is not
simply installed**

**IT IS THOUGHTFULLY
DESIGNED, PRECISELY EXPERIENCED
AND BEAUTIFULLY INTEGRATED.**

OUR MISSION

INNOVATE.
ILLUMINATE.
ELEVATE.

Our mission is to develop a versatile interior lighting portfolio that empowers architects, designers, lighting professionals and our business partners to transform creative concepts into beautifully illuminated spaces.

WE FOCUS ON FOUR ESSENTIALS:

DESIGN

Contemporary forms created to complement modern interiors.

LIGHT QUALITY

Refined illumination designed for visual comfort and ambience.

PERFORMANCE

Dependable technology engineered for consistent results.

VERSATILITY

Lighting solutions created for diverse spaces, applications and design possibilities.



THE KLD COLLECTION

1 AUREL
COB LIGHT



2 KEPLIX
COB LIGHT



3 POPPY
COB LIGHT



4 NIR COB
LIGHT



5 M-GLOW
COB LIGHT



6 M-FLARE
COB LIGHT



7 M-JAA
COB LIGHT



8 M-SHREE
COB LIGHT



9 M-FINE
COB LIGHT



10 RINGO
COB LIGHT




11 M-SHINE
COB



12 DURA
COB LIGHT





13 FLAVA
COB LIGHT



14 MAGIC
LINEAR



15 TRIVEX
COB LIGHT



16 TINE
BUTTON LIGHT




17 APEX
DOWN LIGHT



18 MAGNUS DEEP
DOWN LIGHT



19 NIR SF
COB CYLINDER



20 M-SHINE SF
COB CYLINDER



21 SOLIS SF
SMD CYLINDER



22 MWP AQUARO SF
COB CYLINDER



23 TWIRL
COB LIGHT



24 TINE BUTTON
COB SURFACE





AUREL COB LIGHT



APPLICATIONS :



MALLS



OFFICES



BANKS



SHOPS



CONFERENCE



IT/ITES



50,000
HOURS LIFE



WATTS

7W
12W
18W



CUTOUT

55mm
65mm
75mm



CCT

● 3000K
● 4000K
● 5000K
● 6000K
● 3IN1



BEAM ANGLE

36°



BODY SIZE (mm)

D62 x H75
D72 x H77
D82 x H77



LED

LUMENS
110LM/W

CRI
>80



Power Factor

Driver > 0.95
Isolated Driver



KEPLIX COB LIGHT



APPLICATIONS :



MALLS



OFFICES



BANKS



SHOPS



CONFERENCE



IT/ITES



50,000
HOURS LIFE



WATTS

7W
12W
18W



CUTOUT

60mm
75mm
95mm



CCT

● 3000K
● 4000K
● 5000K
● 6000K
● 3IN1



BEAM ANGLE

36°



BODY SIZE (mm)

D70 x H60
D82 x H66
D103 x H66



LED

LUMENS
110LM/W

CRI
>80



Power Factor

Driver > 0.95
Isolated Driver



POPPY COB LIGHT



APPLICATIONS :



MALLS



OFFICES



BANKS



SHOPS



CONFERENCE



IT/ITES



50,000
HOURS LIFE



WATTS

7W
12W
18W



CUTOUT

55mm
75mm
90mm



CCT

● 3000K
● 4000K
● 5000K
● 6000K
● 3IN1



BEAM ANGLE

38°



BODY SIZE (mm)

D65 x H62
D85 x H70
D101 x H85



LED

LUMENS
110LM/W

CRI
>80



Power Factor

Driver > 0.95
Isolated Driver



ZARA

MANGO

M&M

FOOD COURT

ONLY

JACK & JONES

ONLY

ONLY

NIR COB LIGHT



APPLICATIONS :



MALLS



OFFICES



BANKS



SHOPS



CONFERENCE



IT/ITES



50,000
HOURS LIFE



WATTS

8W
15W



CUTOUT

52mm
75mm



CCT

● 3000K
● 4000K
● 5000K
● 6000K
● 3IN1



BEAM ANGLE

36°



BODY SIZE (mm)

D62 x H62
D86 x G75



LED

LUMENS
110LM/W

CRI
>80



Power Factor

Driver > 0.95
Isolated Driver



M-GLOW COB LIGHT



APPLICATIONS :



MALLS



OFFICES



BANKS



SHOPS



CONFERENCE



IT/ITES



50,000
HOURS LIFE



WATTS

7W
12W
18W



CUTOUT

58mm
75mm
85mm



CCT

● 3000K
● 4000K
● 5000K
● 6000K
● 3IN1



BEAM ANGLE

36°



BODY SIZE (mm)

D68 x H40
D85 x H45
D95 x H50



LED

LUMENS
110LM/W

CRI
>80



Power Factor

Driver > 0.95
Isolated Driver



M-FLARE COB LIGHT



APPLICATIONS :



MALLS



OFFICES



BANKS



SHOPS



CONFERENCE



IT/ITES



50,000
HOURS LIFE



WATTS

7W
12W
18W



CUTOUT

55mm
75mm
85mm



CCT

● 3000K
● 4000K
● 5000K
● 6000K
● 3IN1



BEAM ANGLE

36°



BODY SIZE (mm)

D63 x H70
D80 x H72
D90 x H86



LED

LUMENS
110LM/W

CRI
>80



Power Factor

Driver > 0.95
Isolated Driver



M-JAA COB LIGHT



APPLICATIONS :



MALLS



OFFICES



BANKS



SHOPS



CONFERENCE



IT/ITES



50,000
HOURS LIFE



WATTS

7W
12W
18W



CUTOUT

66mm
76mm
86mm



CCT

● 3000K
● 4000K
● 5000K
● 6000K
● 3IN1



BEAM ANGLE

36°



BODY SIZE (mm)

D75 x H65
D86 x H72
D96 x H80



LED

LUMENS
110LM/W

CRI
>80



Power Factor

Driver > 0.95
Isolated Driver



M-SHREE COB LIGHT



APPLICATIONS :



MALLS



OFFICES



BANKS



SHOPS



CONFERENCE



IT/ITES



50,000
HOURS LIFE



WATTS

7W
12W
18W



CUTOUT

57mm
73mm
85mm



CCT

● 3000K
● 4000K
● 5000K
● 6000K
● 3IN1



BEAM ANGLE

36°



BODY SIZE (mm)

D67 x H65
D82 x H75
D92 x H87



LED

LUMENS
110LM/W

CRI
>80



Power Factor

Driver > 0.95
Isolated Driver



1

FLOOR →

RECEPTION
OPD
LABORATORY
PHARMACY
X-RAY
ULTRASOUND

NURSES STATION

ICU

102

PATIENT ROOM

WE CARE
FOR YOU

M-FINE COB LIGHT



APPLICATIONS :



MALLS



OFFICES



BANKS



SHOPS



CONFERENCE



IT/ITES



50,000
HOURS LIFE



WATTS

7W
12W
18W



CUTOUT

60mm
75mm
87mm



CCT

● 3000K
● 4000K
● 5000K
● 6000K
● 3IN1



BEAM ANGLE

36°



BODY SIZE (mm)

D67 x H50
D81 x H60
D95 x H66



LED

LUMENS
110LM/W

CRI
>80



Power Factor

Driver > 0.95
Isolated Driver



RINGO COB LIGHT



APPLICATIONS :



MALLS



OFFICES



BANKS



SHOPS



CONFERENCE



IT/ITES



50,000
HOURS LIFE



WATTS

7W
12W



CUTOUT

59mm
72mm



CCT

● 3000K
● 4000K
● 5000K
● 6000K
● 3IN1



BEAM ANGLE

36°



BODY SIZE (mm)

D65 x H60
D82 x H80



LED

LUMENS
110LM/W

CRI
>80



Power Factor

Driver > 0.95
Isolated Driver



M-SHINE COB



APPLICATIONS :



MALLS



OFFICES



BANKS



SHOPS



CONFERENCE



IT/ITES



50,000
HOURS LIFE



WATTS

7W
12W
18W



CUTOUT

60mm
75mm
85mm



CCT

● 3000K
● 4000K
● 5000K
● 6000K
● 3IN1



BEAM ANGLE

36°



BODY SIZE (mm)

D70 x H50
D85 x H66
D95 x H76



LED

LUMENS
110LM/W

CRI
>80



Power Factor

Driver > 0.95
Isolated Driver



DURA COB LIGHT



APPLICATIONS :



MALLS



OFFICES



BANKS



SHOPS



CONFERENCE



IT/ITES



50,000
HOURS LIFE



WATTS

8W
12W



CUTOUT

65mm
75mm



CCT

● 3000K
● 4000K
● 5000K
● 6000K
● 3IN1



BEAM ANGLE

36°



BODY SIZE (mm)

D75 x H65
D85 x H75



LED

LUMENS
110LM/W

CRI
>80



Power Factor

Driver > 0.95
Isolated Driver



FLAVA COB LIGHT



APPLICATIONS :



MALLS



OFFICES



BANKS



SHOPS



CONFERENCE



IT/ITES



50,000
HOURS LIFE



WATTS

7W
12W
18W
30W



CUTOUT

55mm
75mm
80mm
105mm



CCT

● 3000K
● 4000K
● 5000K
● 6000K
● 3IN1



BEAM ANGLE

36°



BODY SIZE (mm)

D65 x H60
D85 x H75
D90 x H90
D130 x H125



LED

LUMENS
110LM/W

CRI
>80



Power Factor

Driver > 0.95
Isolated Driver

BREAK LIMITS
NOT PERFORMANCE

SPEED
STYLE
POWER

BUILD
YOUR
DREAM
SETUP

TECHNOLOGIES
INNOVATE. PERFORM. ELEVATE.

INNOVATION
THAT
INSPIRES

PERFORMANCE
POWER MEETS PRECISION

**MAGIC
LINEAR**



APPLICATIONS :



MALLS



OFFICES



BANKS



SHOPS



CONFERENCE



IT/ITES



50,000
HOURS LIFE



WATTS

4W
12W
16W
20W
36W



CUTOUT

50x50mm
128x50mm
85x85mm
205x50mm
125x125mm



CCT

● 3000K
● 4000K
● 5000K
● 6000K
● 3IN1



**BEAM
ANGLE**
36°



BODY SIZE (mm)

L55 x W55 x H55
L137 x W60 x H55
L95 x W95 x H55
L210 x W60 x H55
L135 x W135 x H55



LED

LUMENS
110LM/W

CRI
>80



Power Factor

Driver > 0.95
Isolated Driver



TRIVEX COB LIGHT



APPLICATIONS :



MALLS



OFFICES



BANKS



SHOPS



CONFERENCE



IT/ITES



50,000
HOURS LIFE



WATTS

7W
12W
7W+7W
12W+12W



CUTOUT

65mm
75mm
135x60mm
160x75mm



CCT

● 3000K
● 4000K
● 5000K
● 6000K
● 3IN1



BEAM ANGLE

36°



BODY SIZE (mm)

D73 x H90
D85 x H95
L145 x W70 x H90
L170 x W85 x H95



LED

LUMENS
110LM/W

CRI
>80



Power Factor

Driver > 0.95
Isolated Driver



TINE BUTTON LIGHT



APPLICATIONS :



MALLS



OFFICES



BANKS



SHOPS



CONFERENCE



IT/ITES



50,000
HOURS LIFE



WATTS

3W



CUTOUT

25mm



CCT

● 3000K
● 4000K
● 6000K



**BEAM
ANGLE**

36°



BODY SIZE
(mm)

D30 x H25



LED

LUMENS
110LM/W

CRI
>80



Power Factor

Driver > 0.95
Isolated Driver



APEX DOWN LIGHT



APPLICATIONS :



MALLS



OFFICES



BANKS



SHOPS



CONFERENCE



IT/ITES



50,000
HOURS LIFE



WATTS

12W
18W
24W



CUTOUT

105mm
130mm
155mm



CCT

● 3000K
● 4000K
● 5000K
● 6000K
● 3IN1



BEAM ANGLE

120°



BODY SIZE (mm)

D115 x H45
D148 x H48
D165 x H46



LED

LUMENS
100LM/W

CRI
>80



Power Factor

Driver > 0.95
Isolated Driver



↑ Consultation Rooms →
← Diagnostic Centre →
← Pharmacy →
← Restrooms →


CITY CARE
HOSPITAL

MAGNUS DEEP DOWN LIGHT



APPLICATIONS :



MALLS



OFFICES



BANKS



SHOPS



CONFERENCE



IT/ITES



50,000
HOURS LIFE



WATTS

12W
18W
24W



CUTOUT

100mm
135mm
160mm



CCT

● 3000K
● 4000K
● 5000K
● 6000K
● 3IN1



**BEAM
ANGLE**
120°



BODY SIZE (mm)

D120 x H46
D155 x H50
D175 x H50



LED

LUMENS
100LM/W

CRI
>80



Power Factor

Driver > 0.95
Isolated Driver



NIR SF COB CYLINDER



APPLICATIONS :



MALLS



OFFICES



BANKS



SHOPS



CONFERENCE



IT/ITES



50,000
HOURS LIFE



WATTS

8W
15W



BODY SIZE (mm)

D53 x H65
D73 x H92



CCT

● 3000K
● 4000K



BEAM ANGLE

36°



ECO FRIENDLY



ANTIGLARE AND
FLICKER FREE
TECHNOLOGY



ALUMINUM BODY



LED

LUMENS
110LM/W

CRI
>80



Power Factor

Driver > 0.95
Isolated Driver



M-SHINE SF COB CYLINDER



APPLICATIONS :



MALLS



OFFICES



BANKS



SHOPS



CONFERENCE



IT/ITES



50,000
HOURS LIFE



WATTS

7W
12W
18W



BODY SIZE (mm)

D55 x H75
D55 x H100
D72 x H100



CCT

● 3000K
● 4000K
● 5000K
● 6000K
● 3IN1



BEAM ANGLE

36°



ECO FRIENDLY



ANTIGLARE AND
FLICKER FREE
TECHNOLOGY



ALUMINUM BODY



LED

LUMENS
110LM/W

CRI
>80




Power Factor

Driver > 0.95
Isolated Driver



SOLIS SF SMD CYLINDER



APPLICATIONS :



MALLS



OFFICES



BANKS



SHOPS



CONFERENCE



IT/ITES



50,000
HOURS LIFE



WATTS

8W
15W
24W



BODY SIZE (mm)

D75 x H55
D110 x H60
D125 x H60



CCT

● 3000K
● 4000K
● 6000K



BEAM ANGLE

120°



ECO FRIENDLY



ANTIGLARE AND
FLICKER FREE
TECHNOLOGY



ALUMINUM BODY



LED

LUMENS
100LM/W

CRI
>80



Power Factor

Driver > 0.95
Isolated Driver



MWP AQUARO SF COB CYLINDER



APPLICATIONS :



MALLS



OFFICES



BANKS



SHOPS



CONFERENCE



IT/ITES



50,000
HOURS LIFE



WATTS

7W
12W
18W



BODY SIZE (mm)

D64 x H75
D75 x H85
D85 x H95



CCT

● 3000K
● 4000K
● 5000K
● 6000K



BEAM ANGLE

36°



ECO FRIENDLY



ANTIGLARE AND
FLICKER FREE
TECHNOLOGY



ALUMINUM BODY



LED

LUMENS
110LM/W

CRI
>80



Power Factor

Driver > 0.95
Isolated Driver



TWIRL SURFACE COB LIGHT



APPLICATIONS :



MALLS



OFFICES



BANKS



SHOPS



CONFERENCE



IT/ITES



50,000
HOURS LIFE



WATTS

12W



BODY SIZE
(mm)

D45 x H175



CCT

● 3000K
● 4000K
● 5000K
● 6000K



**BEAM
ANGLE**

36°



ECO FRIENDLY



ANTIGLARE AND
FLICKER FREE
TECHNOLOGY



ALUMINUM BODY



LED

LUMENS
110LM/W

CRI
>80




Power Factor

Driver > 0.95
Isolated Driver



TINE BUTTON COB SURFACE



APPLICATIONS :



MALLS



OFFICES



BANKS



SHOPS



CONFERENCE



IT/ITES



50,000
HOURS LIFE



WATTS

3W



BODY SIZE
(mm)

D57 x H15



CCT

● 3000K
● 4000K
● 5000K
● 6000K



**BEAM
ANGLE**

36°



ECO FRIENDLY



ANTIGLARE AND
FLICKER FREE
TECHNOLOGY



ALUMINUM BODY



LED

LUMENS
110LM/W

CRI
>80



Power Factor

Driver > 0.95
Isolated Driver



LIGHT ENDS HERE. THE EXPERIENCE CONTINUES.

From focused illumination to complete architectural lighting solutions, KLD brings together design, performance and light quality to transform the way interiors are experienced.



KILD®
Innovative Lightings

KLD INNOVATIVE LIGHTINGS

Interior Architectural Lighting Solutions

 www.kdledlighting.com
 Instagram : [kld_led_lighting](https://www.instagram.com/kld_led_lighting)
 Email : nirluminex@gmail.com

Import & Mfg by:
NIR LUMINEX LLP - AHMEDABAD

Marketed by:
NIR LUMINEX LLP - AHMEDABAD